EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2982	((country or native or regional$2 or local$2) near3 currenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:04
S2	942	(categor$3 or subcategor$3) and ((country or native or regional$2 or local$2) near3 currenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:05
S3	2079	(categor$3 or subcategor$3 or listing or item) and ((country or native or regional$2 or local$2) near3 currenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:05
S4	308	((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (categor$3 or subcategor$3 or listing or item)) and ((country or native or regional $2 or local$2) near3 currenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:07

S5	15	(map$4 with file) and ((lookup or look-up or preload $4 or pre-load$4 or pre-fetch$4 or prefetch$4 or fetch $4 or retriev$3 or cach$4 or pre-cach $4 or buffer$4 or advanc$3 or prestor $4 or pre-stor$4) with (categor$3 or subcategor$3 or listing or item)) and ((country or native or regional $2 or local$2) near3 currenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:08
S6	27	(map$4 with file) and ((lookup or look-up or preload $4 or pre-load$4 or pre-fetch$4 or prefetch$4 or fetch $4 or retriev$3 or cach$4 or pre-cach $4 or buffer$4 or advanc$3 or prestor $4 or pre-stor$4) with (file or record or categor$3 or subcategor$3 or listing or item)) and ((country or native or regional $2 or local$2) near3 currenc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:15
S7	27	(map$5 with file) and ((lookup or look-up or preload $4 or pre-load$4 or pre-fetch$4 or prefetch$4 or fetch $4 or retriev$3 or cach$4 or pre-cach $4 or buffer$4 or advanc$3 or prestor $4 or pre-stor$4) with (file or record or categor$3 or subcategor$3 or listing or item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:16

		and ((country or native or regional $2 or local$2) near3 currenc$3)				
S8	660	((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (file or record or categor$3 or subcategor$3 or listing or item)) and ((country or native or regional $2 or local$2) near3 currenc$3) and (performance or improv$5 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:18
S9	40798	(((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (file or record or categor$3 or subcategor$3 or listing or item)) same (performance or improv$5 or increas $3 or decreas$3 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:19

		optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6))				
S10	19221	(((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (file)) same (performance or improv$5 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:19
S11	646	(((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (file)) same (performance or improv$5 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:20

		minimum or minimiz$6 or enhanc$6)) and (map adj file)				
S12	150	(((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc$3 or prestor$4 or pre-stor$4) with (file)) same (performance or improv$5 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz$6 or maximal$2 or maximum or maximiz$6 or reduc$5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) same (map adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:20
S13	0	(((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc$3 or prestor$4 or pre-stor$4) with (categor$3)) same (performance or improv$5 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz$6 or maximal$2 or maximum or maximiz$6 or reduc$5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) same (map adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:22

| S14 | 3 | (((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (item)) same (performance or improv$5 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) same (map adj file) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 08:22 |
| S15 | 96 | (((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (list$3)) same (performance or improv$5 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) same (map adj file) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 08:23 |

| S16 | 88 | (((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc$3 or prestor$4 or pre-stor$4) with (record)) same (performance or improv$5 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz$6 or maximal$2 or maximum or maximiz$6 or reduc$5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) same (map adj file) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 08:25 |
| S17 | 646 | (((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc$3 or prestor$4 or pre-stor$4) with (file)) same (performance or improv$5 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz$6 or maximal$2 or maximum or maximiz$6 or reduc$5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) and (map adj file) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 08:27 |

| S18 | 206 | (((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (plurality or multiple or more or additional) with (file)) same (performance or improv$5 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) and (map adj file) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 08:28 |
| S19 | 213 | (((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (plurality or multiple or more or additional or second) with (file)) same (performance or improv$5 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 08:28 |

		enhanc$6)) and (map adj file)					
S20	1	"5303342".pn. and (((lookup or look-up or preload$4 or pre-load$4 or pre-fetch$4 or prefetch $4 or fetch$4 or retriev$3 or cach$4 or pre-cach$4 or buffer$4 or advanc $3 or prestor$4 or pre-stor$4) with (plurality or multiple or more or additional or second) with (file)) same (performance or improv$5 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) and (map adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 08:34
S21	2	("5303342".pn. "5956734".pn.) and (((lookup or look-up or preload $4 or pre-load$4 or pre-fetch$4 or prefetch$4 or fetch $4 or retriev$3 or cach$4 or pre-cach $4 or buffer$4 or advanc$3 or prestor $4 or pre-stor$4) with (technique or plurality or multiple or more or additional or second) with (file)) same (performance or improv$5 or increas $3 or decreas$3 or optimal$2 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:26

		optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) and (map adj file)				
S22	1005	((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) with (technique or plurality or multiple or more or additional or second) with (file)) same (performance or improv$6 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:47
S23	435	((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) with (technique or plurality or multiple or more or additional or second) with (file)) with (performance or improv$6 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:50

		minimum or minimiz$6 or enhanc$6)				
S24	32	((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) with (technique or plurality or multiple or more or additional or second) with (file)) with (performance or improv$6 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6) and (map adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:51
S25	4869	"5893086".pn. and ((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) with (technique or plurality or multiple or more or additional or second)) or (performance or improv$6 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6) and (map$4 adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:09

S26	1	"5893086".pn. and (((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) with (technique or plurality or multiple or more or additional or second)) or (performance or improv$6 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)) and (map$4 adj file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:10
S27	382	(preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) with related with file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:12
S28	258	((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) with related with file) and (categor $2 or list$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:13
S29	35	((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) with related with file) same (categor $2 or list$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:13

S30	35	((prestag$3 or pre-stag$3 or preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or buffer$4 or prestor$4 or pre-stor$4) with related with file) same (categor$2 or list$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:13
S31	20620	((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) near3 (file or technique or process or procedure or method)) same (performance or improv$6 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:22
S32	2436	((preload$4 or pre-load$4 or pre-fetch $4 or prefetch$4 or buffer$4 or prestor $4 or pre-stor$4) near3 (file)) same (performance or improv$6 or increas $3 or decreas$3 or optimal$2 or optimum or optimiz $6 or maximal$2 or maximum or maximiz$6 or reduc $5 or minimal$2 or minimum or minimiz$6 or enhanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 11:23

| S33 | 961 | ((preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or buffer$4 or prestor$4 or pre-stor$4) near3 (file)) with (performance or improv$6 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz$6 or maximal$2 or maximum or maximiz$6 or reduc$5 or minimal$2 or minimum or minimiz$6 or enhanc$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 11:23 |
| S34 | 162 | ((preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or buffer$4 or prestor$4 or pre-stor$4) near3 (file)) with (improv$6 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz$6 or maximal$2 or maximum or maximiz$6 or reduc$5 or minimal$2 or minimum or minimiz$6 or enhanc$6) with (performance or response or responsive$4 or throughput or through-put or latenc$3 or efficienc$3 or effective$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 11:24 |

| S35 | 14 | (((preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or buffer$4 or prestor$4 or pre-stor$4) near3 (file)) with (improv$6 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz$6 or maximal$2 or maximum or maximiz$6 or reduc$5 or minimal$2 or minimum or minimiz$6 or enhanc$6) with (performance or response or responsive$4 or throughput or through-put or latenc$3 or efficienc$3 or effective$4)) and (map adj file) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 11:25 |
| S36 | 64 | (((preload$4 or pre-load$4 or pre-fetch$4 or prefetch$4 or buffer$4 or prestor$4 or pre-stor$4) near3 (file)) with (improv$6 or increas$3 or decreas$3 or optimal$2 or optimum or optimiz$6 or maximal$2 or maximum or maximiz$6 or reduc$5 or minimal$2 or minimum or minimiz$6 or enhanc$6) with (performance or response or responsive$4 or throughput or through-put or latenc$3 or efficienc$3 or effective$4)) and (map$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 11:26 |

| S37 | 217 | (map adj file) with (performance or response or responsive$4 or throughput or through-put or latenc$3 or efficienc $3 or effective$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 11:35 |
| S38 | 176 | ((map adj file) with (performance or response or responsive$4 or throughput or through-put or latenc$3 or efficienc $3 or effective$4)) and (server or webserver or web-sever or web or internet or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 11:35 |

8/17/08 12:42:09 PM
C:\ Documents and Settings\ RPond\ My Documents\ EAST\ workspaces\ 09905525 08_15_08.wsp